

CASEMENT PROJECT OUT SERIES 6400

AAMA/WDMA/CSA 101/I.S.2/A440-08

Rating:	C-AW100
Air Infiltration:	0.06 cfm/ft at 6.2 psf
Water Resistance:	No Leakage at 15.00 psf
Structural Performance:	150.00 psf
Thermal Break:	Yes
Main Frame Depth:	3 1/4"
Glazing Thickness:	1" - Maximum


Let's Shine.

800.737.2800 • fax 417.862.1232 • BoydAluminum.com


©2011 Boyd Aluminum Manufacturing. The Boyd sunburst and logotype are trademarks of Boyd Aluminum Manufacturing. All rights reserved. Due to continued product research, specifications are subject to change without notice.

C1-1


Boyd 2012




PROJECT OUT



PROJECT OUT/PROJECT OUT



FIXED/
PROJECT OUT




PROJECT OUT/FIXED

Let's Shine.

800.737.2800 • fax 417.862.1232 • BoydAluminum.com

©2011 Boyd Aluminum Manufacturing. The Boyd sunburst and logotype are trademarks of Boyd Aluminum Manufacturing. All rights reserved. Due to continued product research, specifications are subject to change without notice.



Let's Shine.

800.737.2800 • fax 417.862.1232 • BoydAluminum.com


©2011 Boyd Aluminum Manufacturing. The Boyd sunburst and logotype are trademarks of Boyd Aluminum Manufacturing. All rights reserved. Due to continued product research, specifications are subject to change without notice.

C1-3
Boyd 2012


4
LEFT JAMB

5
GRID

6
RIGHT LAMB



7
MULLION




Let's Shine.

800.737.2800 • fax 417.862.1232 • BoydAluminum.com

©2011 Boyd Aluminum Manufacturing. The Boyd sunburst and logotype are trademarks of Boyd Aluminum Manufacturing. All rights reserved. Due to continued product research, specifications are subject to change without notice.



C1-4
Boyd 2012



Let's Shine.

800.737.2800 • fax 417.862.1232 • BoydAluminum.com

©2011 Boyd Aluminum Manufacturing. The Boyd sunburst and logotype are trademarks of Boyd Aluminum Manufacturing. All rights reserved. Due to continued product research, specifications are subject to change without notice.




Let's Shine.

800.737.2800 • fax 417.862.1232 • BoydAluminum.com

©2011 Boyd Aluminum Manufacturing. The Boyd sunburst and logotype are trademarks of Boyd Aluminum Manufacturing. All rights reserved. Due to continued product research, specifications are subject to change without notice.

C1-6

Boyd 2012




14
FIXED HEAD

15
FIXED/P.O.

16
LEFT UNIVERSAL FIXED JAMB


17
RIGHT UNIVERSAL FIXED JAMB



Let's Shine.


18

UNIVERSAL P.O. JAMB



19

UNIVERSAL P.O. JAMB




WINDOW DIMENSION

Let's Shine.


800.737.2800 • fax 417.862.1232 • BoydAluminum.com

©2011 Boyd Aluminum Manufacturing. The Boyd sunburst and logotype are trademarks of Boyd Aluminum Manufacturing. All rights reserved. Due to continued product research, specifications are subject to change without notice.

Glazing Options For 6300 Series



1" INSULATED GLASS



1" INSULATED PANEL